


CEBELIA




1) The DEJ is involved in many biological mechanisms and ensures two roles:

- A mechanical support role of the skin
- A role of selective filtration controlling metabolic exchanges
- A role in attachment, growth and migration

The integrity of the DEJ is essential for tissue healing and repair functions.

2) Laminin 5 (LN-5) is a major irreplaceable epidermal attachment protein

- Essential component of the anchoring filaments and synthesized exclusively by the epithelial cells
- Ensures a structural role and participates in maintaining the cohesion of the basal plate
- Transmits determining biological signals




In vivo studies on skin healing have shown an increase in the expression of the different LN-5 pathways by the keratinocytes located in the area of colonization of the wound.

3) Oligopeptidic fragment present in the gamma 2 arm of LN-5:

Induces cell adhesion:

- Specifically
- And dose dependently



=> Enables its native or deficient homologue to be restored

CEBELIA



L.C.E. Balm

Fragrance free, preservative free

Healing wound / Anti-Hæmatoma
Anti-Œdema Care

Patented Composition



Oligopeptide fragment of LN-5:

- Restores the mechanical and biological properties of the DEJ
- Acts to regenerate skin

Titrated extract of Blackcurrant:

- Anti-Hæmatoma activity
- Improves bloodstream

Titrated extract of Escin (Horsechestnut):

- Preserves the elasticity and the permeability of the vein wall
- Anti-Œdema

Indications

Aesthetic Medical Practice

- Post laser treatments (vascular, de pigmenting...)
- Pre & Post-injection (hyaluronic acid, mesotherapy)
- On surgery scars (breast, face lift, rhinoplasty, blepharoplasty etc...)

Dermatological Practice

- Wound, even opened
- Cracks (pulpitis, dry eczema, diabetes)
- Mucous membrane
- Chapped lips, angulus infections : perleches
- Peri-ulcerous and scratching lesions
- After nitrogen treatments (warts), excisions, electrocoagulation, sutures



Société Georges et Antoine Gannage SAL

423 Building | Arz Street | Saifi, Beirut | Lebanon | Tel: +961 1 587191 | info@gannage.com.lb

CEBELIA



15 ml



L.C.E. Balm

Healing wound
Anti-haematoma
Anti-oedema care

Patented Composition

- Oligopeptide fragment of Laminin 5:
 - Restores the mechanical and biological properties of the DEJ
- Acts to regenerate skin
- Titrated extract of Ribes Nigrum (blackcurrant):
 - Anti-haematoma activity
 - Improves blood flow
- Titrated extract of Escin (horsechestnut):
 - Preserves the elasticity and the permeability of the vein wall
 - Anti-oedema

Fragrance free, preservative free



CEBELIA



L.C.E. Balm

INDICATIONS

Aesthetic medical practice

- Post laser treatments (vascular, depigmenting...)
- Pre & Post-injection (hyaluronic acid, mesotherapy)
- On surgery scars (breast, face lift, rhinoplasty, blepharoplasty etc...)

Dermatological practice

- Wound, even opened
- Cracks (pulpits, dry eczema, diabetes)
- Mucous membrane
- Chapped lips, angulus infections: perleches
- Peri-ulcerous and scratching lesions
- After nitrogen treatments (warts), excisions, electrocoagulation, sutures



Société Georges et Antoine Gannage SAL

423 Building | Arz Street | Saifi, Beirut | Lebanon | Tel: +961 1 587 192 | info@gannage.com.lb